

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
4 January 2001 (04.01.2001)

PCT

(10) International Publication Number
WO 01/00177 A1

- (51) International Patent Classification⁷: **A61K 9/20**, 9/16, 31/43
- (21) International Application Number: **PCT/IB00/00851**
- (22) International Filing Date: **26 June 2000 (26.06.2000)**
- (25) Filing Language: **English**
- (26) Publication Language: **English**
- (30) Priority Data:
1206/99 29 June 1999 (29.06.1999) **CH**
- (71) Applicant (*for all designated States except US*): **MICIO PHARMA CHEMICAL AKTIENGESELLSCHAFT** [LI/LI]; c/o Firmata Treuhand Anstalt, Landstrasse 35, Postfach 1138, FL-9490 Vaduz (LI).
- (72) Inventor; and
(75) Inventor/Applicant (*for US only*): **DE TOMMASO, Vincenzo** [IT/IT]; Residenza Alberata, 352, I-20080 Basiglio (IT).
- (84) Designated States (*national*): **AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.**
- (84) Designated States (*regional*): **ARIPO** patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), **Eurasian** patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), **European** patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), **OAPI** patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
- Published:**
— *With international search report.*
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

WO 01/00177 A1

(54) Title: **RETARD FORMULATION OF AMOXICILLIN FOR ORAL ADMINISTRATION**

(57) Abstract: The present invention refers to a pharmaceutical formulation of amoxicillin for oral administration, comprising a homogeneous mixture of amoxicillin and one or more polysaccharides, wherein the polysaccharide is selected from the group consisting of regenerated cellulose, cellulose ethers or esters, xanthan gum or carrageenan.

RETARD FORMULATION OF AMOXICILLIN FOR ORAL ADMINISTRATION

The present invention refers to a retard pharmaceutical formulation of amoxicillin.

Amoxicillin is a semi-synthetic, widely used, penicillin especially for oral administration, having a broad-spectrum of activity.

The orally administered amoxicillin is rapidly adsorbed, reaching, 2 hours after the administration of 250 mg, a peak concentration in the plasma of about 5 $\mu\text{m/ml}$.

The daily dose of amoxicillin is generally of 3 g for adults and of 100 mg for children per kg of body weight, divided into three administrations. Amoxicillin, as the other penicillins, has a relatively short half-life (0.9-2.5 hours) and it is therefore necessary to undertake three administrations per day, regularly spaced out, in order to maintain the therapeutic levels of the antibiotic in the blood.

Obviously, the fact that the antibiotic has to be taken every 8 hours, especially in the case of children, is very inconvenient. Furthermore, the concentration of the antibiotic in the blood widely varies in correlation to the three administrations.

The present invention refers to a retard pharmaceutical formulation of amoxicillin for oral administration, comprising a homogeneous mixture of amoxicillin and one or more polysaccharides.

Amoxicillin may be in any state of hydration.

The polysaccharide is chosen from the group consisting of regenerated cellulose, cellulose ethers or esters, xanthan gum or carrageenan.

The cellulose ethers or esters are preferably methylcellulose, hydroxypropyl cellulose, hydroxypropylmethyl cellulose.

The ratio between amoxicillin trihydrate and the polysaccharide may vary from 100:1 to 100:40, preferably from 100:7 to 100:9.

Furthermore the formulation may contain a clavulanic acid salt, preferably the potassium salt.

The formulation may contain a surfactant, for example a phospholipid, natural or synthetic (hydrogenated phospholipid). Examples of phospholipids are

CONFIRMATION COPY

phosphatidylcholine, phosphatidylserine, phosphatidylinositol, phosphatidylethanolamine and their hydrogenated forms. Particularly preferred is the hydrogenated phosphatidylcholine.

Other excipients, such as stabilizing agents, preservatives, antioxidants, flavouring agents, sweeteners, suspension agents, binders, lubricants and the like, may be present in the formulation.

The pharmaceutical preparations, suitable for oral use, may be in the form of tablets, capsules, granules in monodose sachets, or multidose granules.

The tablets may be film-coated.

The pharmaceutical formulations according to the present invention may be obtained by the methods known to the persons skilled in the art. For example, a method for the preparation of the formulation of the invention, comprises the preparation of granules by mixing, in a suitable mixer, all the raw materials previously sieved and weighted. The thus obtained granules can be:

- a) directly compressed, for example with oblong pressing punches, in order to obtain tablets to be directly swallowed, or
- b) compressed, for example with circular pressing punches having a large diameter, and then sieved, and the thus obtained granules can be used in the other forms of pharmaceutical preparations.

In the case of a), wherein the powder is used in order to produce tablets of 1 g of amoxicillin, it is necessary to optimize the compression conditions for obtaining tablets with a hardness of from 7 to 10 kg and an average weight of about 1.4 g (variable according the title of the active principle). Said tablets may be coated with a film of an aqueous suspension of ethylcellulose, titanium dioxide, polyethylene glycol 4000, polyethylene glycol 6000.

In the case of b), wherein the granulate is intended for the production of other forms of oral pharmaceutical preparations, said granules must be compressed, for example with circular pressing punches, by optimizing the compression conditions so as to obtain tablets having a hardness of from 8 to 12 kg. The thus obtained tablets are then sieved to obtain granules which will be used in the production of the other forms of pharmaceutical preparations.

The pharmaceutical formulations according to the present invention provide therapeutic levels of amoxicillin in the blood for 12 hours, therefore two

administrations of amoxicillin per day being sufficient. This fact considerably improves the compliance of patients especially in the case of children.

Furthermore the levels of amoxicillin in the blood are maintained constant in the course of the time without the sharp variations of concentration stemming from the repeated administrations of amoxicillin

Fig.1 shows a graph reporting the plasma concentration of amoxicillin (mg/l), at Example 1, to five adults.

EXAMPLE 1

1g AMOXICILLIN TABLETS (not coated)

Amoxicillin trihydrate	1148 mg
(corresponding to 1g of amoxicillin)	
Hydroxypropyl methylcellulose	90 mg
Soybean hydrogenated phosphatidylcholine	70 mg
Sodium carboxymethylcellulose	90 mg
Magnesium stearate	20 mg

2296 g trihydrate amoxicillin, 180 g hydroxypropyl methylcellulose (Methocel K 4M), 140 g soybean hydrogenated phosphatidylcholine (Epikuron 200 SH), 180 g sodium carboxymethylcellulose (Pharmacel XL), 40 g magnesium stearate, previously sieved through a sieve having a hole of 1 mm as net aperture, were placed in a conical mixer.

The thus obtained granules were compressed with oblong pressing punches to obtain tablets to be swallowed.

EXAMPLE 2

1g AMOXICILLIN TABLETS (coated)

Amoxicillin trihydrate	1148 mg
(corresponding to 1g of amoxicillin)	
Hydroxypropyl methylcellulose	90 mg
Soybean hydrogenated phosphatidylcholine	70 mg

Sodium carboxymethylcellulose	90 mg
Magnesium stearate	20 mg
COATING*	32 mg

* Ethylcellulose-titanium dioxide-polyethylene glycol 4000- polyethylene glycol 6000 in the weight ratio 14:14:2:2.

The tablets were obtained according to the method of Example 1 and then coated with a film having the above reported composition.

EXAMPLE 3

AMOXICILLIN GRANULES IN 1 g MONODOSE SACHETS (for adults)

Amoxicillin trihydrate	1148 mg
(corresponding to 1g of amoxicillin)	
Hydroxypropyl methylcellulose	90 mg
Soybean hydrogenated phosphatidylcholine	70 mg
Sodium carboxymethylcellulose	90 mg
Magnesium stearate	20 mg
Xanthan gum	6 mg
Raspberry flavour	71 mg
Strawberry flavour	25 mg
Sucrose	2498 mg

2296 g trihydrate amoxicillin, 180 g hydroxypropyl methylcellulose (Methocel K 4M), 140g soybean hydrogenated phosphatidylcholine (Epikuron 200 SH), 180 g sodium carboxymethyl cellulose (Pharmacel XL), 40 g magnesium stearate, previously sieved through a sieve having a hole of 1 mm as net aperture, were placed in a conical mixer.

The thus obtained granules were compressed with circular pressing punches, obtaining tablets which were then sieved through a sieve having a hole of 0.66 mm as net aperture.

The granules obtained were then mixed with the other excipients.

EXAMPLE 4

AMOXICILLIN GRANULES IN 250 mg MONODOSE SACHETS (for children)

Amoxicillin trihydrate	287 mg
(corresponding to 250 mg of amoxicillin)	
Hydroxypropyl methylcellulose	22.5 mg
Soybean hydrogenated phosphatidylcholine	17.5 mg
Sodium carboxymethylcellulose	22.5 mg
Magnesium stearate	5 mg
Xanthan gum	3 mg
Raspberry flavour	71 mg
Strawberry flavour	25 mg
Sucrose	3059 mg

The formulation was prepared according to the method reported for Example 3.

EXAMPLE 5

AMOXICILLIN GRANULES TO BE DOSED, 250 mg amoxicillin/3 g granules
(bottle containing 50 g)

Amoxicillin trihydrate	287 mg
(corresponding to 250 mg of amoxicillin)	
Hydroxypropyl methylcellulose	22.5 mg
Soybean hydrogenated phosphatidylcholine	17.5 mg
Sodium carboxymethylcellulose	22.5 mg
Magnesium stearate	5 mg
Xanthan gum	3 mg
Raspberry flavour	71 mg
Strawberry flavour	25 mg
Sucrose	2562 mg

The formulation was prepared according to the method reported for Example 3.

EXAMPLE 6

Dissolution test

The dissolution test was performed according to USP XXIII.

The results of the test are reported in the following table, as release percentages at different times, for six tablets (A-F) obtained as reported in the Example 1.

Tablet	Weight (g)	% release 1 h	% release 1.5 h	% release 3 h	% release 4 h	% release 5 h	% release 6 ore	% release 7 h	% release 8 h
A	1.392	20.1	26.2	42.8	51.9	61.3	68.4	74.4	76.3
B	1.387	19.7	25.7	40.3	50.6	58.7	65.0	70.4	75.5
C	1.390	20.8	26.5	41.8	48.5	61.3	66.5	73.0	76.4
D	1.390	19.9	26.7	42.8	51.3	62.3	67.7	73.6	78.8
E	1.382	17.9	24.8	47.2	55.6	66.3	70.6	79.4	86.7
F	1.409	24.0	30.2	45.6	54.3	65.4	73.3	72.2	84.0
Average	1.392	20.4	26.7	43.4	52.0	62.6	68.6	74.7	79.6
S.D.	0.01	1.83	1.69	2.32	2.34	2.59	2.72	2.92	4.25
C.V.%	0.60	8.99	6.34	5.33	4.50	4.14	3.96	3.91	5.34

CLAIMS

- 1) A pharmaceutical formulation of amoxicillin for oral administration, comprising a homogeneous mixture of amoxicillin and one or more polysaccharides.
- 2) A pharmaceutical formulation according to claim 1, wherein the polysaccharide is selected from the group consisting of regenerated cellulose, cellulose ethers or esters, xanthan gum or carrageenan.
- 3) A pharmaceutical formulation according to claim 2, wherein the cellulose ethers or esters are methylcellulose, hydroxypropyl cellulose, hydroxypropyl methylcellulose.
- 4) A pharmaceutical formulation according to any one of the preceding claims further containing a clavulanic acid salt.
- 5) A pharmaceutical formulation according to claim 4 wherein the clavulanic acid salt is the potassium salt.
- 6) A pharmaceutical formulation according to any one of the preceding claims further containing a surfactant.
- 7) A pharmaceutical formulation according to claim 6, wherein the surfactant is a phospholipid natural or synthetic (hydrogenated phospholipide).
- 8) A pharmaceutical formulation according to claim 7 wherein the surfactant is a phospholipid selected from a group consisting of phosphatidylcholine, phosphatidylserine, phosphatidylinositol, phosphatidylethanolamine and their hydrogenated forms.
- 9) A pharmaceutical formulation, according to claim 8, wherein the surfactant is hydrogenated phosphatidylcholine.
- 10) A pharmaceutical formulation according to any one of the preceding claims further containing one or more excipients.
- 11) A pharmaceutical formulation according to any one of the preceding claims for oral use.

1/1




Fig. 1

INTERNATIONAL SEARCH REPORT

Inter national Application No
PCT/IB 00/00851

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 A61K9/20 A61K9/16 A61K31/43

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, BIOSIS, CHEM ABS Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 97 09042 A (SMITHKLINE BEECHAM CORP ;BURCH DANIEL JOSEPH (US)) 13 March 1997 (1997-03-13) page 1, line 6 - line 9 page 1, line 32 - line 35 page 3, line 15 - line 20 page 3, line 30 -page 4, line 17; claims 1-9; examples 1,2 ---	1-5,10, 11
X	EP 0 080 862 A (BEECHAM GROUP PLC) 8 June 1983 (1983-06-08) page 1, line 11 -page 2, line 6 page 1, line 15 - line 20 page 3, line 15 - line 16; claims 1-5,9; examples 1-4 --- -/--	1-5,10, 11

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"G" document member of the same patent family

Date of the actual completion of the international search

13 September 2000

Date of mailing of the international search report

20/09/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Marttin, E

INTERNATIONAL SEARCH REPORT

International Application No

PCT/IB 00/00851

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 98 22091 A (YISSUM RES DEV CO ;HOFFMAN AMNON (IL); FRIEDMAN MICHAEL (IL); KATZ) 28 May 1998 (1998-05-28) page 5, line 11 - line 18 page 6, line 19 -page 7, line 14 page 7, line 26 -page 9, line 20 page 10, line 12 - line 13; claims 1-11,16,19,20; examples 1,3	1-3,6, 10,11
X	US 5 851 550 A (MARTIN LUIS CARVAJAL ET AL) 22 December 1998 (1998-12-22) column 1, line 8 - line 15 column 1, line 30 - line 38 column 1, line 51 - line 56 column 2, line 39 - line 47; claims 1-4,8,10,11; examples 2,8,12	1,2,4,5, 10,11
X	US 4 448 769 A (IKEDA SHOJI ET AL) 15 May 1984 (1984-05-15) claim 5; examples 7,8	1-3,10, 11
A	WO 99 03453 A (LEK TOVARNA FARMACEVTSKIH ;REBIC LJUBOMIRA BARBARA (SI); KOFLER BO) 28 January 1999 (1999-01-28) page 7, paragraph 2 page 7, last paragraph page 8, last paragraph -page 9, paragraph 2 page 11, paragraph 3; claims 1,5,9,10,20,21,23,32,35,37	1-3,6-9
A	US 5 478 819 A (TARPILA SIMO ET AL) 26 December 1995 (1995-12-26) column 2, line 54 - last line column 3, line 14 - line 43; claims 1-7; example 1	1-3,6-9

INTERNATIONAL SEARCH REPORT

information on patent family members

International Application No

PCT/IB 00/00851

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9709042 A	13-03-1997	AU 711441 B	14-10-1999
		AU 6973396 A	27-03-1997
		BR 9610396 A	06-07-1999
		CA 2231194 A	13-03-1997
		CN 1200672 A	02-12-1998
		CZ 9800683 A	15-07-1998
		EP 0862431 A	09-09-1998
		HU 9901437 A	28-09-1999
		JP 11512398 T	26-10-1999
		NO 981008 A	06-05-1998
		PL 325411 A	20-07-1998
EP 0080862 A	08-06-1983	AU 9103782 A	09-06-1983
		DE 3266580 D	31-10-1985
		ES 517868 D	01-01-1984
		ES 8401851 A	01-04-1984
		HK 25086 A	11-04-1986
		JP 1580055 C	13-09-1990
		JP 2006332 B	08-02-1990
		JP 58109419 A	29-06-1983
		MY 47986 A	31-12-1986
		NZ 202657 A	31-05-1985
		ZA 8208797 A	28-09-1983
WO 9822091 A	28-05-1998	AU 4882597 A	10-06-1998
		EP 0941064 A	15-09-1999
US 5851550 A	22-12-1998	AP 328 A	23-03-1994
		AU 659836 B	01-06-1995
		AU 1649892 A	21-12-1992
		BR 9205948 A	08-11-1994
		CA 2102630 A	09-11-1992
		CN 1067577 A	06-01-1993
		CZ 9302379 A	16-03-1994
		WO 9219227 A	12-11-1992
		EP 0585252 A	09-03-1994
		EP 0783889 A	16-07-1997
		EP 0787487 A	06-08-1997
		FI 934914 A	05-11-1993
		HU 67020 A	30-01-1995
		IL 101795 A	16-10-1996
		JP 6507396 T	25-08-1994
		MX 9202118 A	01-03-1993
		NO 934009 A	05-11-1993
		NZ 242625 A	26-08-1994
		PT 100458 A,B	31-08-1993
		SG 55163 A	21-12-1998
		SK 112793 A	08-06-1994
		US 5861172 A	19-01-1999
		ZA 9203272 A	31-03-1993
US 4448769 A	15-05-1984	JP 1307638 C	13-03-1986
		JP 58032881 A	25-02-1983
		JP 60029717 B	12-07-1985
		JP 1291064 C	29-11-1985
		JP 58069887 A	26-04-1983
		JP 60005598 B	12-02-1985
		AT 11050 T	15-01-1985

INTERNATIONAL SEARCH REPORT

information on patent family members

International Application No

PCT/IB 00/00851

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 4448769 A		DE 3261759 D EP 0069962 A	14-02-1985 19-01-1983
WO 9903453 A	28-01-1999	SI 9700186 A AU 8252398 A EP 1003487 A	28-02-1999 10-02-1999 31-05-2000
US 5478819 A	26-12-1995	NONE	